
### DATA SHEET.

## VACUUM CLEANER. ST 11







G. Staehle GmbH u. Co. KG Mercedesstrasse 15 D 70372 Stuttgart Telefon +49 (0) 7 11/95 44-960 Telefax +49 (0) 7 11/95 44-941 export@columbus-clean.com www.columbus-clean.com



## SAFE TO DRIVE. QUIET AS A WHISPER. THE ALLROUND MODEL.

ST 11

- 11 The allround model: with a large 11 litre bioneem fleece filter bag for professional use on all textile surfaces.
- Keyword "customised": the right attachments for diverse applications
- C) Steady and moveable: the innovative design with a low centre of gravity and the rubberized castor wheels at the rear of the appliance ensure stability and directional tracking capability.
- Extremely low noise with only 56 dB(A), ideal for use in noise sensitive areas.
- C) Fatigue-free working: the air flow can be altered infinitely directly at the container and also at the hand tube, according to the floor conditions.
- () Easy to transport and always tidy: the vacuum cleaner features an ergonomic handle, the plug-in mains cable in signal colour finds its place in the cable compartment or simply on the cable-hook swiftly locked via a sliding locking mechanism.
- Two integrated parking positions to the left or right for the combi floor tool.
- Also suitable for hard floor coverings.
- () Exclusively by columbus: filter bags made of fleece material classified filter class M and pretreated with "Bioneem" for antiallergical application.



#### ST 11

LxBxH	390 x 300 x 410 mm
Working width	270 mm
Volume fleece filter bag, class M	11
Noise level (1 m)	56 dB(A)
Weight	6,7 kg
Nominal diameter	32 mm

#### ELECTRICAL DATA

Rated voltage	230 V
Power max.	720 W
Mains cable	10 m

#### **SUCTION**

Low pressure max.	222 mbar
Air flow max.	31 l/s
Protection class	II
Air flow regulation	mechanical

#### STANDARD EQUPIMENT

floor tool combi 300 mm working width
antistatic bent tube with air regulation
suction hose 2 m
telescopic tube
mains cable 15 m
upholstery tool
crevice tool

#### OPTIONAL EQUIPMENT

fleece filter bag packing unit 20 pcs
floor tool combi 270 mm working width
power brush, air driven
exhaust air filter HEPA (H12) complete with filter frame

#### **EQUIPMENT**

Telescopic tube	-
Filter basket	yes
Exhaust air filter cassette	yes
Upholstery tool	yes
Crevice too	yes

Ei	ltor	class	ST	11
ГΙ	iter	Class	31	

Fleece filter bags Bioneem	М	<b>©</b>
Filter basket	H7	00
Protection filter motor		•
Exhaust filter		•
Exhaust filter HEPA 14	H14	00

Standard ● Accessory ⊚ Optional O Washable ⊙

### DATA SHEET.

# VACUUM CLEANER. ST 7







G. Staehle GmbH u. Co. KG Mercedesstrasse 15 D 70372 Stuttgart Telefon +49 (0) 7 11/95 44-960 Telefax +49 (0) 7 11/95 44-941 export@columbus-clean.com www.columbus-clean.com



## SMALL. LIGHTWEIGHT. MANOEUVRABLE. A VERY STRONG VACUUM CLEANER.

### **ST 7**

- The powerful professional dry vac with 7 litre fleece filter bag for everyday cleaning of textile floor coverings.
- Extremely quiet with only 58 dB(A), for low noise vacuuming also during business hours.
- Fatigue-free working: the air flow level can be altered infinitely according to the floor conditions, via a switch directly at the container and also at the hand tube.
- With a weight of only 4.8 kg, compact design and storage brackets for suction nozzle and accessories the ST 7 makes transport easy and reduces storage requirements, not only within the vehicle.

Steady and moveable: the construction of the container and two large castor wheels at the rear ensure stability and easy tracking.

Ten meter plug-in mains cable in signal colour for maximum safety during operation.

Also suitable for hard floor coverings.

Exclusively by columbus: filter bags made of fleece material classified filter class M and pretreated with "Bioneem" for antiallergical application.

LxBxH	350 x 280 x 400 mm
Working width	270 mm
Volume fleece filter bag, class M	7
Noise level (1 m)	57 dB(A)
Weight	4,8 kg
Nominal diameter	32 mm

**ST 7** 

#### **ELECTRICAL DATA**

Rated voltage	230 V
Power max.	720 W
Mains cable	10 m

#### **SUCTION**

Low pressure max.	222 mbar
Air flow max.	31 l/s
Protection class	II
Air flow regulation	mechanical

#### **EQUIPMENT**

Telescopic tube	-
Filter basket	yes
Exhaust air filter cassette	-
Upholstery tool	yes
Crevice tool	yes

		Filter class	S1 /
Fleece 1	filter bags Bioneem	М	<b>©</b>
Filter ba	asket	H7	••
Filter ba	asket	H12	000
Protecti	on filter motor		•
Exhaust	: filter		•

2019/1 | Technical data subject to change without notice

andard ● Accessory © Optional O Washable ⊙

