

The New OptiLoc Telescopic Poles





SAFETY AT THE HIGHEST LEVEL

UNGER telescopic poles have always been the ideal tool for the job when it comes to making professional glass cleaning from the ground easier.

The 2- or 3-section aluminium telescopic poles are available in 12 different lengths and can handle cleaning windows and glass surfaces up to 10 metres high.

For even more ease of use and handling, **UNGER** has now further optimised its OptiLoc telescopic poles. Thanks to the new 2-component twist lock, this new generation of OptiLoc telescopic poles offers many advantages:

- 2-component handles: improved grip even when your hands are wet
- ergonomic thanks to the new handle design
- anti-slip protective end cap for when resting on the ground
- weight and rigidity perfectly balanced
- highest quality "Made in Germany"
- optimal compatibility with all UNGER glass cleaning tools

"The new OptiLoc pole fits really perfectly in the hand and it's super to work with."

Jeremia Franke, a passionate glass cleaner for over 5 years







ERGOTE® LOCKING CONE

- Compatible with all UNGER tools.
- Prevents tools from falling down
- Fast and easy tool change



2-COMPONENT-TWIST LOCK

- Easier to open and close
- Better grip even with wet hands

NEWHANDLE DESIGN

- Better haptic properties due to 2-component surface
- Ergonomic and secure grip even in wet conditions





ANTI-SUPEND CAP

- Safe stand when you set the OptiLoc telescopic pole down
- Protects from damage



OPTI LOC IS SETTING THE LATEST STANDARD




Telescopic Pole, 2-sections, with Locking Cone

Part No.	Size	net weight in kg	
EZ120	1,25 m	0,36	
EZ250	2,50 m	0,62	
EZ300	3,00 m	0,70	
EZ400	4,00 m	0,92	
EZ500	5,00 m	1,08	
EZ600	6,00 m	1,30	

Telescopic Pole, 3-sections, with Locking Cone

Part No.	Size	net weight in kg	
ED180	1,85 m	0,71	
ED370	3,75 m	1,10	
ED450	4,50 m	1,30	
ED600	6,00 m	1,60	
ED750	7,50 m	1,82	
ED900	9,00 m	2,20	



UNGER UK Ltd.

F1 Deansgate, 62-70 Tettenhall Road Wolverhampton, WV1 4TH UNITED KINGDOM Tel.: (44) 01902 306633 Fax: (44) 01902 306644 ungeruk@ungerglobal.com

All product images for illustration purposes only. Actual product may vary. The general terms of delivery and payment of Unger UK Ltd. apply. No responsibility accepted for accuracy; subject to change without notice.











